















Liner PRO

LINPRO-SENSOR-DALI

Micro wave sensor to be used with the LINER PRO. Setting options are: Detection radius (10%/50%/75%/100%), Waiting time (time that the lamp remains on after no one has been detected) 5s/30s/1min/5min/10min/20min/30min. Daylight sensor adjustable (off/50lux/10lux/2lux, standby period (when no one has been detected for a long time, the light intensity can be set for: 0s/10s/1min/5min/10min/30min/1hour/never off) to (10%/20%/30%/50%).



 CCT -	 WATT -	 IP 20	 Lumen -	 IK -	 MacAdam -	 Lx T: 25°C -
 1437MM	 -	 65MM	 -	 -	 -	 GARANTIE 5

Technical data


Productnumber	Barcode	CCT	IP value	Lumen
LINPRO-SEN-SOR-DALI	LH-1919	-	20	-
Wattage	Length	Height	Width	Spread angle
-	1437MM	-	65MM	-
CRI Ra	Lxx @Ta=25°C	Finish color	MacAdam	IK
-	-	White	-	-
Dimmable	Driver included	Constant current	ENEC/TÜV	Packed per
-	-	-	-	-

Specification text*

Micro wave sensor to be used with the LINER PRO. Setting options are: Detection radius (10%/50%/75%/100%), Waiting time (time that the lamp remains on after no one has been detected) 5s/30s/1min/5min/10min/20min/30min. Daylight sensor adjustable (off/50lux/10lux/2lux, standby period (when no one has been detected for a long time, the light intensity can be set for: 0s/10s/1min/5min/10min/30min/1hour/ never off) to (10%/ 20%/30%/50%).

* Available on the website

Photometric diagram



Areas of application

Production areas / Retail areas / Warehouses / Parking areas (underground, above ground, semi-open) / Classrooms / Corridors / Sports rooms / Changing rooms / Expo halls / Perfect 1-on-1 replacement for existing TL8/5 installations

Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: https://www.voltron-lighting.com/product/EN/91/1919/Liner_PRO--LINPRO-SENSOR-DALI or can be requested through your contact person.

Direct link website



Product barcode



The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws.

The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group.

Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copyright law and may not be used or multiplied without express permission.