Liner PRO

LINPRO-WCLIP

Clip for the LINER PRO for hanging mounting, equipped with 2m iron cable and quick-fix height adjustment system. To be used per 2.5m running meter LINPRO-TR1437-. The LINPRO-TR1437 clicks into this.

No Picture available

Geen foto beschikbaar

Photo non disponible

CCT	WATT	IP	Lumen	IK	MacAdam	Lxx T$_a$25°C
-	-	-	-	-	-	-

				DIMMABLE		GARANTIE
36MM	15MM	53MM	-	-	-	5

Technical data

Productnumber	Barcode	CCT	IP value	Lumen
LINPRO-WCLIP	LH-1922	-	-	-
Wattage	**Length**	**Height**	**Width**	**Spread angle**
-	36MM	15MM	53MM	-
CRI Ra	**Lxx @Ta=25°C**	**Finish color**	**MacAdam**	**IK**
-	-	-	-	-
Dimmable	**Driver included**	**Constant current**	**ENEC/TÜV**	**Packed per**
-	-	-	-	-

Specification text*

Clip for the LINER PRO for hanging mounting, equipped with 2m iron cable and quick-fix height adjustment system. To be used per 2.5m running meter LINPRO-TR1437-. The LINPRO-TR1437 clicks into this.

* Available on the website

Photometric diagram

Areas of application

Production areas / Retail areas / Warehouses / Parking areas (underground, above ground, semi-open) / Classrooms / Corridors / Sports rooms / Changing rooms / Expo halls / Perfect 1-on-1 replacement for existing TL8/5 installations

Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: **https://www.voltron-lighting.com/product/EN/91/1922/Liner_PRO--LINPRO-WCLIP**
or can be requested through your contact person.

Direct link website

Product barcode

LH-1922